



Automatic and electric steam boiler, available with variable power

Electric and automatic steam generator, available steam production from 60 to 180 kW, composed of three boiler vessels.

Maxi 180 can be either connected to the water mains or to a stainless steel condensate recovery tank.

The boiler is supplied with six heaters, which can be switched on all together, in order to get the maximum power output, or individually.

Options

- Stainless steel condensate recovery tank (160 l)
- Boiler body in stainless steel AISI 304
- All components in contact with water in stainless steel AISI 304

Technical Specifications	MAXI 180
Voltage	230V/400V/3/50-60 Hz
Steam working pressure	0,3 ÷ 7 bar
Boiler capacity	3 x 55 l
Pump motor	0.55 kW
Steam tap height	530-1070-1600 mm
Condensate recovery height	280-850-1380 mm
Overall dimensions	1160x950x1670 mm
Net weight	325 Kg
Gross weight (crate)	395 Kg
Packing dimensions	1320x1070x1920 mm

Available electric powers and steam output (for each boiler vessel)		
kW	kCal/h	Kg/h
20 (10+10)	17.200	25 ÷ 27
24 (12+12)	20.600	31 ÷ 33
30 (15+15)	25.800	40 ÷ 42
30 (20+10)	25.800	40 ÷ 42
36 (18+18)	31.000	48 ÷ 50
40 (20+20)	32.700	53 ÷ 55
50 (25+25)	43.050	68 ÷ 70
60 (30+30)	51.700	81 ÷ 83

The firm reserves the right to make any necessary modification without prior notice.